



HGST Standard 4U60 JBOD Platform

Enterprise Class Dense Storage Solution

January 2016

4U60 Storage Enclosure

Designed for High-Availability Storage Applications

JBOD Features

- 4 Rack Units
- 12Gb/sec SAS3 interconnect
- 60 Ultrastar HDD Modules



Available in
480TB
360TB
240TB
capacities

4U60 Storage Enclosure

Key values

Enterprise Class

High Quality

Special Features

Low Power

HGST guarantee



4U60 Storage Enclosure

Key values

Enterprise Class

High Quality

Special Features

Low Power

HGST guarantee

- Hot Swap HDD, IOM, PSU (Fans integrated)
- High IOPs, High GB/s
- Easy Maintenance of HDDs (Top accessible and hot swappable)
- All 60 drives can be accessed simultaneously
- Commands can be issues to spin-down individual drives



4U60 Storage Enclosure

Key values

Enterprise Class


High Quality

Special Features

Low Power

HGST guarantee

- Honey comb Aluminum structure to increase strength and reduce RV



- Reduce RV with springs built into plastic frame



- No single point of failure

4U60 Storage Enclosure

Key values


Enterprise Class

High Quality

Special Features

Low Power

HGST guarantee



4U60 Storage Enclosure

Key values

Enterprise Class

High Quality

Special Features

Low Power

HGST guarantee

- Helium Drive for 480TB version
- Gold qualified PSU with integrated fan



4U60 Storage Enclosure

Key values


Enterprise Class

High Quality

Special Features

Low Power

HGST guarantee



– Integrated,
– Qualified,
– Tested,
– Certified
– Supported

– 5 years warranty on HDD and 3 years on all other components

– vertical integration = price competitiveness

JBOD program



CRU's for onsite replacement

Below is a suggested list for customers that will be doing onsite replacement

- **System Level CRUs**
 - PSU: 1EX0081
 - Chassis, Drive board and PIB only: 1EX0082
 - IO Module: 1EX0080
 - Host Cable, HD Mini-SAS-to-QSFP+, 2m: 1EX0085
 - Power Cable, C13-C14, 18AWG, 1.5m: 1EX0084
 - Expansion Cable, QSFP+ to QSFP+, 2m: 1EX0094
- **HDD CRUs**
 - Drive Modules
 - 2 modules on hand recommended
 - Choose one based on your configuration

4U60 JBOD Cable Requirements

Must Add to All Orders

- The product does **not** include the following cables, and you must add to your order if cables are needed:
 - Host cable: mini SAS HD to QSFP+ (Part Number: 1EX0085)
 - Daisy chain cable: QSFP+ to QSFP+ (Part Number: 1EX0094)
- In order to have the cables ship in the Storage Enclosure packaging the cables **must** be on the same sales order
- If the order has multiple 4U60's on it, the cables might be shipped separately
- If the cables are on a different sales order – they will be shipped in separate packaging
- The Storage Enclosure does include power cables
 - 2x C13-C14 Power cables. This power cable can be used in both NA and EMEA



Thank You